

BIBLIOGRAPHIE

1999

THOLOSAN O., GARCIN J., BIANCHI, A., (1999) Effects of hydrostatic pressure on microbial activity through a 2000 m-deep seawater column in the NW Mediterranean. *Marine Ecology Progress Series*, 183 : 49-57.

BIANCHI, A., GARCIN J., GORSKY, G., POULICEK, M., THOLOSAN O. (1999). Stimulation du potentiel de dégradation dans les eaux marines profondes par les bactéries barotolerantes colonisant les fèces du plancton migrateur C. R. Acad. Sci. Paris, 322 : 1-8.

SICRE M.A., TERNOIS Y., MIQUEL J.C. and MARTY J.C. (1999). Alkenones in the Northwestern Mediterranean sea : interannual variability and vertical transfer. *Geophys. Res. Lett.*, 26 (12) : 1735-1738.

BENTALEB I, GRIMALT J., VIDUSSI F., MARTY J.- C., MARTIN V., DENIS M., HATTE C. and M. FONTUGNE. (1999). The C₃₇ alkenone record of seawater temperature during seasonal thermocline stratification. *Mar. Chem.* 64, 301-313

MIGON, C. & SANDRONI V. (1999). Phosphorus in rainwater : partitioning, inputs and impact on the surface coastal ocean. *Limnology and Oceanography*, 44, 4, 1160-1165.

GUERZONI, S., CHESTER, R., DULAC, F., MOULIN, C., HERUT, B., LOËYE-PILOT., M.D., MEASURES, C., MIGON, C., MOLINAROLI, E., ROSSINI, P., SAYDAM, C., SOUDINE, A. & ZIVERI, P. (1999) - The role of atmospheric deposition in the biogeochemistry of the Mediterranean Sea. *Progress in Oceanography*, 44, 147-190.

GIULIANO L., DE DOMENICO M., DE DOMENICO E., M.G. HOFLE, YAKIMOV M.(1999). Identification of culturable oligotrophic bacteria within naturally occurring bacterioplankton communities of the Ligurian Sea by 16S rRNA sequencing and probing. *Microbial Ecology* 37 (2) 77-85

GIULIANO L., DE DOMENICO M., YAKIMOV M. (sous presse). Distribution of representative oligotrophic bacteria in a pelagic marine environment (Ligurian Sea) by in situ hybridization with rRNA-targeted, fluorescently labelled oligonucleotides. in " STRUCTURE AND PROCESSES IN THE MEDITERRANEAN ECOSYSTEMS" F.M. Faranda, L. Guglielmo, G. Spezie (eds), Springer, Berlin Heidelberg

BIANCHI, M., FOSSET, C. & P. CONAN, (1999). Nitrification rates in the NW Mediterranean sea. *Aquat. Microb. Ecol.* 17, 267-278.

BIANCHI, A., GARCIN J., THOLOSAN O. (1999). A high-pressure serial sampler to measure microbial activity in the deep sea. *Deep Sea Res. I*, 46, 2129-2142.

STRIBY L., LAFONT P. & GOUTX M., 1999. Improvement in the Iatroscan thin_layer chromatographic_flame ionisation detection analysis of marine lipids. Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples. *J. Chromatogr A*, 849, 371_380.

2000

ALLEMAN, L.Y., B. HAMELIN, A.J. VERON, J.-C. MIQUEL & S. HEUSSNER, (2000). Lead sources and transfer in the coastal Mediterranean: evidence from stable lead isotopes in marine particles. Deep Sea Research II 47, 2257-2279.

ANDERSEN, V. and L. PRIEUR. (2000) One-month study in the open NW Mediterranean Sea (DYNAPROC experiment, May 1995). Overview of the hydrobiogeochemical structured and effects of wind events. Deep-Sea Res. I , 47, 397-422.

BELVISO S., CHRISTAKI U., VIDUSSI F., MARTY J.C., VILA REIG M. & DELGADO M., 2000. Diel variations of the DMSP-to-chlorophyll a ratio in Northwestern Mediterranean surface waters. J. Mar. Sys. , 25 : 119-128.

CLAUSTRE H., FELL F., OUBELKHEIR K., PRIEUR L., SCIANDRA A., GENTILLI B. & BABIN M., 2000. Continuous monitoring of surface optical properties across a geostrophic front : biogeochemical inferences. Limnol. Oceanogr., 45, 2 : 309-321.

COPIN-MONTEGUT, C. (2000). Consumption and production on scales of a few days of inorganic carbon, nitrate and oxygen by the planktonic community : results of continuous measurements at the Dyfamed Station in the northwestern Mediterranean Sea (May 1995). Deep-Sea Res. I, 47, 447-477.

DENIS, M., MARTIN, V. & V. ANDERSEN. 2000. Short-term variation of the vertical distribution of cyanobacteria in the open Mediterranean Sea. Scientia Marina, 64, 157-163

GOUTX, M., MOMZIKOFF, A., STRIBY, L., ANDERSEN V., MARTY, J.-C. & I. VESCOVALI. (2000). High frequency fluxes of labile compounds in the central Ligurian Sea, northwestern Mediterranean. Deep-Sea Res. I, 47, 533-556.

GORSKY, G., PICHERAL, M. et STEMMANN, L. (2000) Use of the Underwater Video Profiler for the Study of Aggregate Dynamics in the North Mediterranean. Estuar.Coop.Shelf Sci., 50(1): 121-128.

MIGON, C., GENTILI, B. & JOURNEL, B. (2000) - Statistical analysis of the concentrations of 12 metals in the Ligurian atmospheric aerosol. Oceanologica Acta, 23, 37-45..

PEREZ, M.T., DOLAN, J.R., VIDUSSI, F. and E. FUKAI (2000) Diel vertical distribution of planktonic ciliates within the surface layer of the NW Mediterranean (May 1995). Deep-Sea Res. I ,47, 479-503.

SEMPERE, R., YORO, S.C., F. VAN WAMBEKE & B. CHARRIERE, 2000. Microbial decomposition of large organic particles in the northwestern Mediterranean Sea: an experimental approach. Mar. Ecol. Prog. Ser., 198 : 61-72.

STEMMANN, L., PICHERAL, M. and G. GORSKY (2000). Diel changes in the vertical distribution of suspended particulate matter in the NW Mediterranean Sea investigated with the Underwater Video Profiler. Deep-Sea Res. I , 47, 505-531.

VIDUSSI, F., MARTY, J.-C. and J. CHIAVERINI (2000). Short-term evolution of phytoplankton pigment distributions during the transition from spring bloom to oligotrophy in the Mediterranean Sea. Deep-Sea Res. I, 47, 423-445.

2001

ANDERSEN, V., NIVAL, P., CAPARROY, P. & A. GUBANOVA (2001a). Zooplankton community during the transition from spring bloom to oligotrophy in the open NW Mediterranean and effects of wind events. 1 - Abundance and specific composition. J. Plankton Res. 23 (1), 227-242.

ANDERSEN, V., GUBANOVA, A., NIVAL, P. & T. RUELLET (2001b). Zooplankton community during the transition from spring bloom to oligotrophy in the open NW Mediterranean and effects of wind events. 2 - Vertical distributions and migrations. J. Plankton Res. 23 (1), 243-261.

ARRAES-MESCOFF R., ROY-BARMAN M., COPPOLA L., SOUHAUT M., TACHIKAWA K. et JEANDEL C. (2001) The behavior of Al, Mn, Ba, Sr, REE and Th isotopes during in vitro degradation of large marine particles. Mar. Chem. 73, 1-19

SARTHOU G. et JEANDEL C. (2001), Seasonal variations of iron concentrations in the Ligurian Sea and iron budget in the western Mediterranean, Marine Chemistry, 74, 115-129.

BELVISO, S., H. CLAUSTRE, and J.-C. MARTY 2001. Evaluation of the utility of chemotaxonomic pigments as a surrogate for particulate DMSP. Limnol. Oceanogr. , 46 (4), 989-995.

HOOD, E.M., and L. MERLIVAT. (2001) Annual to interannual variations of fCO₂ in the northwestern Mediterranean Sea : high frequency time series data from CARIOCA buoys (1995-1997), J.Mar.Res., 59, 113-131

MIGON, C., SANDRONI, V. & BETHOUX, J.P. (2001) Atmospheric input of anthropogenic phosphorus to the northwest Mediterranean during oligotrophic conditions. Marine Environmental Research, 52, 413-426.

CHIFFLET, M., ANDERSEN, V., PRIEUR, L. and I. DEKEYSER. 2001. One-dimensional model of short term dynamics of the pelagic ecosystem in the NW Mediterranean Sea. Effects of wind events. J. Mar. Systems, 30, 89-114.

MARI X., BEAUVAIS S., LEMEE R. & PEDROTTI M.L. (2001). Non-Redfield C:N ratio of transparent exopolymeric particles in the northwestern Mediterranean Sea. Limnology & Oceanography 46 (7), 1831-1836.

VAN WAMBEKE, F., GOUTX, M., STRIBY, L., SEMPERE, R. & F. VIDUSSI. 2001. Bacterial dynamics during the transition from spring bloom to oligotrophy in the Northwestern Mediterranean Sea : relationships with particulate detritus and dissolved organic matter. Mar. Ecol. Prog. Ser. 212 : 89-105.

2002

MARTY, J.C., CHIAVERINI, J., PIZAY, M.D., AVRIL, B., 2002. Seasonal and interannual dynamics of phytoplankton pigments in the Western Mediterranean sea at the France-JGOFS DYFAMED time-series station (1991-1999). Deep Sea Res. II 49 (12) (sous presse)

CUNY, P., MARTY, J.C., CHIAVERINI, J., VESCOVALI, I., RAPHEL, D., RONTANI, J.F. 2002. One-year seasonal survey of the chlorophyll photodegradation process in the North western Mediterranean sea. Deep Sea Res. II 49 (12) (sous presse)

BETHOUX, J.P., MORIN, P., RUIZ-PINO, D.P., Temporal trends in nutrient ratios : chemical evidence of Mediterranean ecosystem change driven by human activity. Deep Sea Res. II 49 (12) (sous presse)

MARTY, J.C., CHIAVERINI, J., Seasonal and interannual variations in phytoplankton production at DYFAMED time-series station, north-western Mediterranean sea. Deep Sea Res. II 49 (12) (sous presse)

BEGOVIC, M., COPIN-MONTEGUT, C., Processes at the origin of the annual variations of the partial pressure of CO₂ in surface water of the central part of the northwestern Mediterranean Sea (Dyfamed site). Deep Sea Res. II 49 (12) (sous presse)

COPIN-MONTEGUT, C., BEGOVIC, M., Distributions of carbonate properties and oxygen along the water column (0-2000 m) in the central part of the Northwestern Mediterranean Sea (Dyfamed site). Influence of the winter vertical mixing on air-sea CO₂ and O₂ exchanges. Deep Sea Res. II 49 (12) (sous presse)

MEMERY, L., LEVY, M., VERANT, S., MERLIVAT, L., The relevant time scales in estimating the air -sea CO₂ exchange in a mid latitude region : a numerical study at the DYFAMED station (NW Mediterranean Sea). Deep Sea Res. II 49 (12) (sous presse)

TANAKA, T., RASSOULZADEGAN, F., Full-depth profile (0-2000 m) of bacteria, heterotrophic nanoflagellates and ciliates in the NW Mediterranean Sea : Vertical portioning of microbial trophic structures. Deep Sea Res. II 49 (12) (sous presse)

TAMBURINI, C., GARCIN, J., RAGOT, M., BIANCHI, A., Biopolymer hydrolysis and production through a 2000 m water column in the NW Mediterranean : the effects of hydrostatic pressure. Deep Sea Res. II 49 (12) (sous presse)

MIGON, C., SANDRONI, V., MARTY, J.C., GASSER, B., MIQUEL, J.C., Transfer of atmospheric matter through the euphotic layer in the northwestern mediterranean : seasonal pattern and driving forces. Deep Sea Res. II 49 (12) (sous presse)

STEMMANN, L., GORSKY, G., MARTY, J.C., MIQUEL, J.C., Four years survey of Large Particles (>0.15 mm) vertical distribution (0-1000 m) in the NW Mediterranean Deep Sea Res. II 49 (12) (sous presse)

AVRIL, B., DOC dynamics in the northwestern Mediterranean sea. Deep Sea Res. II 49 (12) (sous presse)

GUIDI-GUILVARD, L.D., DYFAMED-BENTHOS, a long time-series benthic survey at 2,347 m depth in the NW Mediterranean: general introduction. Deep Sea Res. II 49 (12) (sous presse)

FOUILLAND, E. , COURTIES, C. and C. DESCOLAS-GROS. Size_fractionated carboxylase activities during a 32h cycle at 30m depth in the northwestern Mediterranean Sea after an episodic wind event. J. Plankton Res. (Sous presse)

LEMEE, R., ROCHELLE-NEWALL, E., VAN WAMBEKE, F., PIZAY, M.D., RINALDI, P., & GATTUSO, J.P., Seasonal variation of bacterial production, respiration and growth efficiency in the open NW Mediterranean Sea. *Aquatic Microbial Ecology* (sous presse).

KARL D.M., BATES N., EMERSON S., HARRISSON P.J., JEANDEL C., LIU K.K., MARTY J.C., MICHAELS A.F., MIQUEL J.C., NEUER S., NOJIRI Y., WONG C.S. Temporal studies of biogeochemical processes in the world's ocean during the JGOFS era.

Publications soumises

DENIS, M., MARTIN, V., MOMZIKOFF, A., GONDRY, G., STEMMANN, L., DEMERS, S., GORSKY, G. & V. ANDERSEN Pulsed remineralisation in the northwestern Mediterranean Sea: an hypothesis. J. Mar. Systems. (soumis).

ROY-BARMAN M., COPPOLA L. and SOUHAUT M. Thorium isotopes in the western Mediterranean sea: an insight into the marine particle dynamics. Deep Sea Res. (en revision).

SANDRONI, V. & MIGON, C. Atmospheric deposition of metallic pollutants over the Ligurian Sea: labile and residual inputs. Chemosphere. (Soumis)

Theses

PEREZ, M., 1999. Relations trophiques au sein du reseau microbien en Mediterranee nord occidentale: importance de la predation et des ressources. These de Doctorat de l'Universite Paris VI, Oceanologie Biologique et Environnement Marin.

THOLOSAN O. 1999. Activites microbiennes dans les eaux et les sediments profonds. Role de la pression hydrostatique. Universite Aix-Marseille II. Soutenue le 02 fevrier 1999.

SANDRONI Valerie. 2000. Apports atmospheriques en mer Ligure : modes de depot, impact sur la couche marine de surface implication dans les flux marins. These Universite de Corse. 145p.

R. ARRAES-MESCOFF, 2000 Etude du comportement des particules dans la colonne d'eau par deux approches conjointes: les traceurs geochimiques et la modelisation. Universte P. Sabatier (Toulouse)

STRIBY L., 2000. Biogeochemie de la matiere organique dans deux ecosystemes marins. Cas d'une structure physique unidimensionnelle verticale (Mer Ligure) et d'une structure physique frontale (front Almeria_Oran). Variations spatio_temporelles de la fraction lipidique a petite echelle. These de Doctorat de l'Universite de la Mediterranee (Aix-Marseille II)

CHIFFLET, M., 2000 . Interpretation par modelisation des processus physiques et biologiques observes a courte echelle de temps sur la colonne d'eau. Application a la Mer Ligure au mois de Mai (campagne Dynaproc). These de Doctorat de l'Universite de la Mediterranee (Aix-Marseille II), Sciences de l'Environnement : Systeme Terre .

BEGOVIC Milena 2001. Contribution a l'etude du systeme des carbonates en Mediterranee. Distribution spatio-temporelle de la pression partielle de CO₂ dans les eaux superficielles du bassin liguro-provençal. These de Doctorat de l'Universite Paris VI Oceanographie, meteorologie et environnement, 303p.

RIDAME Celine. 2001. Role des apports atmospheriques d'origine continentale dans la biogeochemie marine : Impact des apports sahariens sur la production primaire en Mediterranee. These de Doctorat de l'Universite Paris VI Oceanographie, meteorologie et environnement, 253p.

OUBELKHEIR Kadija. 2001. Caracterisation biogeochemique de provinces oceaniques a l'aide d'indicateurs bio-optiques, a diverses echelles spatio-temporelles. These de Doctorat de l'Universite de la Mediterranee 150p.